ENGRAVING & MARKING OVERVIEW





CONSUMABLES

Our material range has been specially developed for engraving and cutting. "Surface" or "reverse" engraving, laser marking or cutter engraving, also compatible with digital printing, all our ranges of plastic, metal or stratified materials are available in a spectrum of colours, thicknesses, and finishes.





Rotary materials



With our direct presence in over 50 countries, we always have a marking and engraving expert close to you to

bring their expertise and know-how in qualifying your application, installing your equipment and training your



Training

SERVICE & SUPPORT

collaborators.

Technical Support

Maintenance

Engravables





Engraving supplies

THE EXPRESSION OF THINGS

be able to express themselves. With CAD software and Consumables creation to production and service the cutting-edge technologies that we master for permanent marking and engraving, we are giving this power to objects.

Laser, mechanical engraving, to innovate and shape the future of scribing and dot peen: we are the the Expression of Things. only ones to pioneer and master all these types of marking.

with support all over the world.

The result of the integration of pioneering technologies, we are Gravotech was born in 2008 from constantly exploring new solutions the merger of Gravograph, Technifor

Gravotech in video

Humans have a unique quality: to We are a manufacturer of machines, We know the entire chain, from to provide you with the offer, best suited to vour needs.

> and Type3 and unified under one brand in 2021.

SOFTWARE

Our engraving and cutting expertise lead us to build our own software. Create your engraving and cutting paths, pilot your machines, design your 3D jewelry, Anything is possible!



Signage




One-of-a-kind piloting software for Gravotech laser


and rotary engraving machines.

TYPE EDIT



LASERTRACE





info.cn@gravotech.com +86 21 24 08 68 88 www.en.gravotech.cn

GRAVOTECH (SHANGHAI) ENGRAVING EQUIPMENT CO.,LTD. Building F, No. 1835 Duhui Road,

GRAVOTECH

by 🖸 BRADY.

Minhang District 201108, Shanghai, China
















GRAVOSTYLE™

ABC software is the easiest engraving software for only 3 simple steps, from a computer or a tablet!

ABC



3 DESIGN

Cutting edge 3D software for jewelry design that

will keep your business ahead.

For over 30 years, TYPE EDIT is the complete CAD/CAM software solution. Taking your ideas and drawings, through design and machining to

TYPE3-CAA is the only add-on available in CATIA ® environment for text creation and mapping.

TYPE3-CAA

This document is non contractual. Gravograph M., Gravotech M., Technifor M., WeLase M., Gravotstyle M. and Dedicace M. are used, pending or registered trademarks of a Gravotech Group company ©Gravotech Marking - 466 rue des Mercières - Z.I. Périca - 69140 Rillieux-la-Pape - France. Société par Actions Simplifiée with a share capital of 11 531 016€ - SIREN : 334 818 515 RCS Lyon.

LASER

TABLES

INTEGRABLES MACHINES



Small signage and identification

CNC

TABLES

ENGRAVING

STATION

18200 IS400 / IS400 VOLUME

One of a kind metal engraving machine



The large format CNC engraving machine

ISx000



LS100

CO2 laser engraver for signage, creative

LS100EX

The signage and small series

LW2

Fully automated laser marking station



LS900

The large laser engraver that



Integrated laser marking system

FIBER

LASER

MARKERS



HYBRID

The best compromise between

versatility, high quality and high

GREEN

Integrated laser marking system to

mark highly reflective materials and



CO2

High-speed laser engrave
the best to mark organic mate
and coated surfaces

• 10 600 nm

30 W

	engraving machine				cutting, and personalization	laser engraving machine	can do everything		for metal and plastic parts	speed to meet all your marking needs	sensitive plastic materials	and coate
Application scope	••	•••	•••	Application scope	•••	•••	•••	Application scope	••	••	••	•
Technology	Rotary, diamond dragging	Rotary, diamond dragging	Rotary, diamond dragging	Laser source	CO2	CO2, Fiber	CO2, Fiber, Edge	Wavelength	1064 nm	1 064 nm	532 nm	10 60
Max. marking area (L x H)	225 x 80 mm (9 x 3")	305 x 210 mm (12 x 8")	IS6000: 610 x 410 mm (24 x 16") IS7000: 610 x 815 mm (24 x 32") IS8000: 610 x 1220 mm (24 x 48")	Power (W)	25 - 30 - 40 - 60	CO2: 25 - 30 - 40 - 60 CO2 Energy: 25 Fiber: 20 - 30	CO2: 40 - 60 - 80 Fiber: 20 - 30 - 50 Edge: (CO2: 40 / Fiber: 20 - 30 - 50)	Power	Fiber: 20 - 30 - 50 W Fiber Energy: 20 - 30 W MOPA*: 20 - 30 - 60 W	10 - 20 W	5 - 10 W	30
				Max. marking area (L x H)	460 x 305 mm (18 x 12")	610 x 305 mm (24 x 12")	610 x 610 mm (24 x 24")	Process automation		Industrial Ethernet Network	s: PROFINET / ETHERNET IP	
Spindle power	20 W	90 W (optional spindle: 150 W)	90 - 200 W (optional spindle: 150, 750, 1k W)	Lenses (in)	1.5 - 2.0 - 2.5 - 3.0 - 3.5 - 4.0	1.5 - 2.0 - 2.5 - 3.0 - 3.5 - 4.0	1.5 - 2.0 - 2.5 - 3.0 - 3.5 - 4.0	Embedded intelligence		Autonomous / Programmable by PLC / N	o PC required / Traceability Management	
Max. object height	30 mm (1.2")	IS400 : 105 mm (4") IS400 Volume: 400 mm (15.75")	80 mm (3")	Max. object height	145 mm (5.7")	145 mm (5.7")	250 mm (9.8")	Laser classification	Class 4 Laser s	system, possibility to switch in Class 1 for inte		
									MINI-	INTINE		



IM3

The iconic pantograph

by Gravotech



M10 JEWEL

Compact ring and bracelet

engraving machine



M20 X

Custom engraving for all kind

of purposes, from jewelry and perfume to small industrial signage



M40/M40GIFT

Multi-purpose rotary engraving

machine for signage and gifts



LASER STATIONS



WELASETM



LW3

Fully automated high volume

industrial laser station



XF510 p

The fastest pneumatic dot peen

marking machine on the market



The precise and consistent electromagnetic

XF510 m



XF530 p/m

Deep and indelible

dot peen marking machine	dot peen marking
•	•
Det noon Electromagnetic	Dat noon Droumatic or Floatramag

Application scope	• •	•	• • • •	• • •	Application scope	••	• • •	• • •	Application scope	•	•	•
Technology	Rotary, scribing	Scribing	Rotary, scribing	Rotary, scribing	Laser source	Fiber, Hybrid, Green, CO2	Fiber, Hybrid, Green	Fiber, Hybrid, Green	Technology	Dot peen Pneumatic	Dot peen Electromagnetic	Dot peen Pneumatic or Electromagnet
Max. marking area (L x H)	250 x 140 mm (9.9 x 5.5")	-	100 x 100 mm (4 x 4")	305 x 210 mm (12 x 8")	Use rate	Adapted for small to medium batches	Fully automatic Adapted for high use rate	Fully automatic Adapted for high production rates and large parts	Main advantage	Speed	2D codes	Deep marking
Spindle power	50 W	-	30 W	30 W	Max. marking area (L x I)	110 x 110 mm (4.3 x 4.3")	Up to 205 x 205 mm (8 x 8")	Up to 875 x 300 mm (34 x 12")		Cp: 50 × 20 mm (2 × 0.8"),	Cm: 50 x 20 mm (2 x 0.8"),	000 50 (70 01)
Max. object height	50 mm (2")	ø 12.5 - 80 mm (0.5 x 3.15")	100 mm (4")	110 mm (4.3")	Max. object height	Fiber, Hybrid, Green: 100 mm (4") CO2: 180 mm (7")	Up to 322 mm (12.7")	Up to 628 mm (24.72")	Max. marking area (L x H)	Sp: 100 x 80 mm (4 x 3.15"), Dp: 200 x 80 mm (7.9 x 3.15")	Sm: 100 x 80 mm (4 x 3.15"), Dm: 200 x 80 mm (7.9 x 3.15")	200 x 50 mm (7.9 x 2")
Dimensions (L x W x H)	580 x 510 x 280 mm (22.8 x 20 x 11'')	230 x 293 x 290 mm (9 x 11.5 x 11.4")	368 x 350 x 363 mm (without screen) (14.5 x 13.8 x 14.3")	550 x 510 x 320 mm (27.7 x 20 x 12.6")	Max. object weigth	3 kg (6.6 lbs)	25 kg (55 lbs)	50 kg (110.23 lbs)	Material hardness (HRC)	< 62	< 62	< 62
	·		·	•								


APPLICATIONS OF ENGRAVING, MARKING AND CUTTING

Look around you and you'll notice that most objects around you are marked, engraved or customized. Find them and you'll find Gravotech!















Benchtop dot peen

marking station

Small laser engraving station

DOT PEEN STATION



Application scope	•
Technology	Dot peen pneumatic or electromagnectic
Software	Integrated traceability software with color touchscreen
Marking area max. (L x H)	100 x 120 mm (4 x 4.7")
Z axis stroke	300 mm (11.8")
Z axis type	Manual or motorized & programmable

Want to know more?



INTEGRABLE SCRIBING

INTEGRABLE

DOT PEEN





The quiet metal marking machine

The VIN scribing marking machine

Application scope	•	•
Technology	Scribing	Scribing
Main advantage	Quiet	Deep marking
Max. marking area (L x H)	Cr: 40 × 50 mm (1.6 × 2"), Sr: 80 × 50 mm (3.15 × 2"), Dr: 160 × 50 mm (6.3 × 2")	120 x 40 mm (4.72 x 1.6")
Material hardness (HRC)	< 62	< 62